

Rigid gas permeable contact lenses

appenzeller
kontaktlinsen®
passt.

Excellent AS Excellent MK

Single vision – Multifocal – Bifocal



Classic, practical, excellent:
You can count on this contact lens.

info@appenzeller-kontaktlinsen.ch
www.appenzeller-kontaktlinsen.ch



passt.

Little bowls of plastic...

It was Mr Feinbloom. The optician was the first one to use PMMA to manufacture contact lenses. That was in the 1930's. A big window to the world opened to millions of people since, thanks to those little bowls of plastic.

We put a great deal of effort into Research & Development to ensure that our contact lenses always meet the latest technological possibilities.


Our Professional Services team advises you competently, personally and patiently. They will answer every question and make sure you get the right contact lens in any case.

i-SOFT



3-monthly soft contact lenses
My yearly supply of soft contact lenses.
Per eye.

Personnelle



Unifocale – Multifocale – Style de vie numérique
My contact lens. As unique as my fingerprint.

Excellent AS Excellent MK



Single vision – Multifocal – Bifocal
Classic, practical, excellent:
You can count on this contact lens.

i-MAP AS



Single vision – Multifocal – Bifocal
High-tech for my everyday life:
Coping with any situation.

Content


- 4 **Excellent AS**
Aspheric, rigid gas permeable contact lens
- 5 **Excellent AS Progress-F**
Aspheric, multifocal rigid gas permeable contact lens
- 6 **Excellent AS Progress-N**
Aspheric, multifocal rigid gas permeable contact lens
- 7 **Excellent AS Bifo**
Aspheric, bifocal rigid gas permeable contact lens
- 8 **Excellent MK**
Bi-curve, rigid gas permeable contact lens
- 9 **Excellent MK Progress-F**
Bi-curve multifocal, rigid gas permeable contact lens
- 10 **Excellent MK Progress-N**
Bi-curve multifocal, rigid gas permeable contact lens
- 11 **Excellent MK Progress Bifo**
Bi-curve bifocal, rigid gas permeable contact lens
- 12 **Comfort and safety**
Our recommendation for the car regime
of rigid gas permeable contact lenses
- 14 **Material list**
Rigid gas permeable contact lenses



passt.

EXCELLENT

Aspheric,
rigid gas permeable contact lens



Excellent AS

→ Front surface design

- Spherical or toric

→ Back surface design

- Spherical or toric, aspheric
- Central back optic zone BOZD up to 15°
- Progressive flattening, the nominal value of the numerical eccentricity is reached at 30°
- Comfort bevel ensures a high wearing comfort and an optimal tear film exchange

→ Design options

Design	Description
VP	Front prism ballast
VPT	Toric Front prism ballast
PT (VP/VPT)	Toric periphery (Front prism ballast/ Toric Front prism ballast)
RT (VP)	Back toric (Front prism ballast)
BT (VP)	Bi-toric (Front prism ballast)
QSD (VP/VPT)	QuadrantSpecificDesign
QSD RT (VP)	
QSD BT (VP)	

→ Product range

Everything that is technically possible. Ask us – we are open for your individual wishes.

→ Materials

See list on page 14.

→ Fitting recommendations

Step 1: Choosing the base curve (BC)

Up to 1.5 D corneal astigmatism

- Base curve = flattest central corneal radius
- BC in 0.05 mm steps

With-the-rule corneal astigmatism

Difference between central corneal radii ≤ 0.4 mm

- flattest base curve = flattest central corneal radius
- steepest base curve = steepest central corneal radius
- BC in 0.05 mm steps

Difference between central corneal radii > 0.4 mm

- flattest base curve = flattest central corneal radius
- steepest base curve = steepest central corneal radius + 0.1 mm
- BC in 0.05 mm steps

Against-the-rule astigmatism ≥ 2 D

- flattest base curve = flattest central corneal radius + 0.05 mm to 0.1 mm flatter
- steepest base curve = steepest central corneal radius
- BC in 0.05 mm steps

Oblique corneal astigmatism ≥ 2 D

- flattest base curve = flattest central corneal radius
- steepest base curve = steepest central corneal radius
- BC in 0.05 mm steps

Step 2: Selecting the n.E.

The n.E of the contact lens should be equal to the mean value of the corneal n.E. (mean of nasal, temporal, superior and inferior) – or the mean value of the flattest corneal meridian – n.E. of the contact lens in 0.05 steps

Step 3: Selecting the diameter

Corneal fitting


CL DIA = HVID – 2.0mm

Large diameter fitting:

CL DIA = HVID – 1.0mm to 1.3mm

EXCELLENT *AS Progress-F*

Aspheric multifocal,
rigid gas permeable contact lens



Excellent AS Progress-F

→ Selecting the zone size

Dominant eye distance	Central zone = 4.5 mm
Non-dominant eye	Central zone = 4.3 mm

→ Design options

Design	Description
VP	Front prism ballast
VPT	Toric Front prism ballast
PT (VP/VPT)	Toric periphery (Front prism ballast/ Toric Front prism ballast)
RT (VP)	Back toric (Front prism ballast)
BT (VP)	Bi-toric (Front prism ballast)
QSD (VP/VPT)	QuadrantSpecificDesign
QSD RT (VP)	
QSD BT (VP)	

→ Front surface design

- Correction according to the simultaneous principle
- Multifocal, concentric structure, centre distance
- The central zone contains the far and intermediate correction at a ratio of 75%:25%
- The zone ratio can be freely selected
- Multifocal, spherical or toric
- Centre distance

→ Back surface design

- Spherical or toric, aspheric
- Central back optic zone BOZD up to 15°
- Progressive flattening, the nominal value of the numerical eccentricity is reached at 30°
- Comfort bevel ensures a high wearing comfort and an optimal tear film exchange

→ Product range

Everything that is technically possible. Ask us – we are open for your individual wishes.

→ Materials

See list on page 14.

→ Fitting recommendations


See page 4.



passt.

EXCELLENT *AS Progress-N*

Aspheric multifocal,
rigid gas permeable contact lens



Excellent AS Progress-N

→ Selecting the zone size

Dominant eye distance	Central zone = 3.2 mm
Non-dominant eye	Central zone = 3.4 mm

→ Design options

Design	Description
VP	Front prism ballast
VPT	Toric Front prism ballast
PT (VP/VPT)	Toric periphery (Front prism ballast/ Toric Front prism ballast)
RT (VP)	Back toric (Front prism ballast)
BT (VP)	Bi-toric (Front prism ballast)
QSD (VP/VPT)	QuadrantSpecificDesign
QSD RT (VP)	
QSD BT (VP)	

→ Front surface design

- Correction according to the simultaneous principle
- Multifocal, concentric structure, centre near
- The central zone contains the near and intermediate correction at a ratio of 75%:25%
- The zone ratio can be freely selected
- Multifocal, spherical or toric
- Centre near

→ Back surface design

- Spherical or toric, aspheric
- Central back optic zone BOZD up to 15°
- Progressive flattening, the nominal value of the numerical eccentricity is reached at 30°
- Comfort bevel ensures a high wearing comfort and an optimal tear film exchange

→ Product range

Everything that is technically possible. Ask us – we are open for your individual wishes.

→ Materials


See list on page 14.

→ Fitting recommendations

See page 4.

EXCELLENT *AS Bifo*

Aspheric bifocal,
rigid gas permeable contact lens



Excellent AS Bifo

the Excellent AS Bifo is manufactured with a standard prism 1.5 cm/m at 270°. The prism can be changed in power (in 0.25 cm/m steps) and axis (in 1° steps)


- Bifocal, spherical or toric
- Front prism ballast

→ Back surface design

- Spherical or toric, aspheric
- Central back optic zone BOZD up to 15°
- Progressive flattening, the nominal value of the numerical eccentricity is reached at 30°
- Comfort bevel ensures a high wearing comfort and an optimal tear film exchange

→ Design options

Design	Description
VPT	Toric Front prism ballast
PT (VT)	Toric periphery (Toric front)
RT	Back toric
BT	Bi-toric
QSD (VT)	QuadrantSpecificDesign
QSD RT	
QSD BT	



Excellent AS Bifo: Structure of the front surface

→ Product range

Everything that is technically possible. Ask us – we are open for your individual wishes.

→ Materials

See list on page 14.

→ Indication

- Presbyopia
- For incompatibility of simultaneous – alternating or simultaneous multifocal systems

→ Front surface design

The segment of the near zone of the Excellent AS Bifo is located 1 mm below the geometric centre as standard and can be varied in 0.05 mm steps. Additionally, the inclination of the near segment can be rotated in 1° steps. To measure the inclination or stabilisation, the contact lenses have a marker at 0° and 180°. In order to ensure that the contact lens slides down quickly after blinking,

→ Fitting recommendations

In order for the alternating effect to work properly, the Excellent AS Bifo must show sufficient movement on the eye. It should not be too large in diameter and must not be riding high or have an upper eyelid support. In the reading position – and the associated downward gaze – the Excellent AS Bifo must move slightly upwards.


For further fitting recommendations see page 4.



passt.

EXCELLENT ^{MK}

Bi-curve,
rigid gas permeable contact lens



Excellent MK

→ Front surface design

- Spherical or toric

→ Back surface design

- Spherical or toric, bi-curve
- Central back optic zone BOZD up to 22°, followed by a second, flatter curve
- The flattening of the second, flatter curve is defined by the numerical eccentricity
- Comfort bevel ensures a high wearing comfort and an optimal tear film exchange

→ Design options

Design	Description
VP	Front prism ballast
VPT	Toric Front prism ballast
PT (VP/VPT)	Toric periphery (Front prism ballast/ Toric Front prism ballast)
RT (VP)	Back toric (Front prism ballast)
BT (VP)	Bi-toric (Front prism ballast)

→ Product range

Everything that is technically possible. Ask us – we are open for your individual wishes.

Materials

See list on page 14.

→ Fitting recommendations

Step 1: Choosing the base curve (BC)

Up to 1.5 D corneal astigmatism

- Base curve = flattest central corneal radius
- BC in 0.05 mm steps

With-the-rule corneal astigmatism

Difference between central corneal radii ≤ 0.4 mm

- flattest base curve = flattest central corneal radius
- steepest base curve = steepest central corneal radius
- BC in 0.05 mm steps

Difference between central corneal radii > 0.4 mm

- flattest base curve = flattest central corneal radius
- steepest base curve = steepest central corneal radius + 0.1 mm
- BC in 0.05 mm steps

Against-the-rule corneal astigmatism ≥ 2 D

- flattest base curve = flattest central corneal radius + 0.05 mm to 0.1 mm flatter
- steepest base curve = steepest central corneal radius
- BC in 0.05 mm steps

Oblique corneal astigmatism ≥ 2 D

- flattest base curve = flattest central corneal radius
- steepest base curve = steepest central corneal radius
- BC in 0.05 mm steps

Step 2: Selecting the n.E.

The n.E of the contact lens should be equal to the mean value of the corneal n.E. (mean of nasal, temporal, superior and inferior) – or the mean value of the flattest corneal meridian

- n.E. of the contact lens in 0.05 steps

Step 3: Choosing the diameter

Corneal fitting


CL DIA = HVID - 2mm

Large diameter fitting:

CL DIA = HVID - 1.0mm to 1.3mm

EXCELLENT *MK Progress-F*

Bi-curve, multifocal,
rigid gas permeable contact lens



Excellent MK Progress-F

→ Selecting the zone size

Dominant eye distance	Central zone = 4,5 mm
Non-dominant eye	Central zone = 4,3 mm

→ Design options

Design	Description
VP	Front prism ballast
VPT	Toric front prism ballast
PT (VP/VPT)	Toric periphery (Front prism ballast/ Toric front prism ballast)
RT (VP)	Back toric (Front prism ballast)
BT (VP)	Bi-toric (Front prism ballast)

→ Product range

Everything that is technically possible. Ask us – we are open for your individual wishes.

→ Materials

See list on page 14.

→ Fitting recommendations

See page 8.

→ Front surface design

- Correction according to the simultaneous principle
- Multifocal, concentric structure, centre distance
- The central zone contains the far and intermediate correction at a ratio of 75%:25%
- The zone ratio can be freely selected
- Multifocal, spherical or toric
- Centre distance

→ Back surface design


- Spherical or toric, bi-curve
- Central back optic zone BOZD up to 22°, followed by a second, flatter curve
- The flattening of the second, flatter curve is defined by the numerical eccentricity
- Comfort bevel ensures a high wearing comfort and an optimal tear film exchange



passt.

EXCELLENT *MK Progress-N*

Bi-curve, multifocal,
rigid gas permeable contact lens



Excellent MK Progress-N

→ Selecting the zone size

Dominant eye distance	Central zone = 3.2 mm
Non-dominant eye	Central zone = 3.4 mm

→ Design options

Design	Description
VP	Front prism ballast
VPT	Toric Front prism ballast
PT (VP/VPT)	Toric periphery (Front prism ballast/ Toric Front prism ballast)
RT (VP)	Back toric (Front prism ballast)
BT (VP)	Bi-toric (Front prism ballast)

→ Product range

Everything that is technically possible. Ask us – we are open for your individual wishes.

→ Materials

See list on page 14.

→ Fitting recommendations

See page 8.

→ Front surface design


- Correction according to the simultaneous principle
- Multifocal, concentric structure, centre near
- The central zone contains the near and intermediate correction at a ratio of 75%:25%
- The zone ratio can be freely selected
- Multifocal, spherical or toric
- Centre near

→ Back surface design

- Spherical or toric, bi-curve
- Central back optic zone BOZD up to 22°, followed by a second, flatter curve
- The flattening of the second, flatter curve is defined by the numerical eccentricity
- Comfort bevel ensures a high wearing comfort and an optimal tear film exchange

EXCELLENT *MK Progress Bifo*

Bi-curve, bifocal,
rigid gas permeable contact lens



Excellent MK Bifo

blinking, the Excellent MK Bifo is manufactured with a standard prism 1.5 cm/m at 270°. The prism can be changed in power (in 0.25 cm/m steps) and axis (in 1° steps).

→ Front surface design


- Bifocal, spherical or toric
- Front prism ballast

→ Back surface design

- Spherical or toric, bi-curve
- Central back optic zone BOZD up to 22°, followed by a second, flatter curve
- The flattening of the second, flatter curve is defined by the numerical eccentricity
- Comfort bevel ensures a high wearing comfort and an optimal tear film exchange

→ Design options

Design	Description
VPT	Toric Front prism ballast
PT (VT)	Toric periphery (Toric Front)
RT	Back toric
BT	Bi-toric



Excellent MK Bifo: structure of the front surface

→ Product range

Everything that is technically possible. Ask us – we are open for your individual wishes.

→ Materials

See list on page 14.

→ Fitting recommendations

In order for the alternating effect to work properly, the Excellent MK Bifo must show sufficient movement on the eye. It should not be too large in diameter and must not be riding high or have an upper eyelid support. In the reading position – and the associated downward gaze – the Excellent MK Bifo must move slightly upwards.

For further fitting recommendations see page 8.

→ Indication

- Presbyopia
- For incompatibility of simultaneous-alternating or simultaneous multifocal systems

→ Front surface design

The segment of the near zone of the Excellent MK Bifo is located 1 mm below the geometric centre as standard and can be varied in 0.05 mm steps. Additionally, the inclination of the near segment can be rotated in 1° steps. To measure the inclination or stabilisation, the contact lenses have a marker at 0° and 180°. In order to ensure that the contact lenses slide down quickly after



passt.

COMFORT AND SAFETY

Our recommendation for the care regime of rigid gas permeable contact lenses:

Individual products or sets.

Compiled to your wishes.

Contact lenses are not just a product. Contact lenses are a process that begins with your consultation. And continues after a successful fitting. Because contact lenses need to be inserted and removed. And because they need to be cleaned and stored. That's why we don't just supply you with contact lenses made to order, but also with know-how made to order. This includes our Professional Service, which is there for you in word and action. It also includes care products and accessories that give your patients the greatest possible feeling of comfort, health and safety.

Clean and rinse, disinfect and store : This is the sequence. And accordingly, we offer you products that are precisely matched to each other in exactly the combination you want. Put together nicely as a set wrapped in thin transparent film, which can be removed without scissors.

Combination example:

- 1x Cleaner plus 1x Saline plus 1x Peroxid plus 1x Enzyme
- 1x Cleaner plus 1x Saline plus 1x All-in-One RGP

See also brochure Appenzeller Kontaktlinsen Comfort and safety

1. Cleaning Daily

Appenzeller Kontaktlinsen® Cleaner

Alcohol-based cleaner

For daily care of rigid gas-permeable contact lenses (also GP-plasma-coated) and soft contact lenses.

2. Rinsing Daily

Appenzeller Kontaktlinsen® Saline

Saline as inserting solution

For all types of contact lenses – except scleral lenses – and for rinsing of soft and rigid gas-permeable contact lenses. Both after cleaning the lens and before putting the lens on the eye.



3. Disinfection and storage Daily

Appenzeller Kontaktlinsen® Peroxyd

Disinfection and neutralisation in 1 hour

The disinfection and neutralisation can be carried out very simply, quickly and a 100% efficiently. Appenzeller Kontaktlinsen make it possible with this peroxide system. For conventional soft lenses, disposable lenses and rigid gas-permeable lenses (RGP)

Appenzeller Kontaktlinsen® All-in-One Soft

Disinfectant

For all those who do not opt for the peroxide system and its unusually rapid effect (see column on the left): All-in-One Soft – the multipurpose solution with sodium hyaluronate for longer effect, longer wearing time, longer feeling of comfort.

4. Protein removal Once a week

Appenzeller Kontaktlinsen® Enzyme

Intensive cleaning

Protein deposits build up on the lens every day. In addition to the daily neutralisation of the lenses, a weekly protein removal removing is needed when using the peroxide system.





MATERIAL LIST

passt.

Rigid gas permeable contact lenses

+++ Very good
++ Good
+ Sufficient
- Not recommendable

	Optimum Classic	Optimum Comfort	Optimum Extra	Optimum Extreme	Optimum Infinite	Boston IV	Boston ES	Boston Equalens	Bosteon EO	Booston XO	Visaflex	PMMA	TLM
Composition	MMA + SI + F	MMA + SI + F	MMA + SI + F	MMA + SI + F	MMA + SI + F	MMA + SI	MMA + SI + F	MMA + SI + F	MMA + SI + F	MMA + SI + F	MMA + SI	MMA	MMA + SI + F
Dk-Value*	26	65	100	125	180	19	18	47	58	100	18	0-0.5	
Refractive index	1.450	1.441	1.431	1.432	1.438	1.469	1.443	1.438	1.429	1.415	1.492	1.490	1.45
Specific gravity (g/cm ³)	1.190	1.178	1.160	1.150	1.200	1.100	1.220	1.190	1.230	1.270	1.120	1.180	
Wetting angle (°)	12***	6***	3***	6***		17**	52**	30**	49**	49**	25**	27**	
Surface hardness (Shore)	83	79	75	77	81	84	85	82	83	81	86	90	
UV- filter	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	
Tints	Blue	Aqua Blue Blue Green Brown	White Aqua Blue Green	Aqua Blue Blue Green Red Violet	White Aqua Blue	Blue	Aqua Blue Green	Blue	Aqua Blue Green	Aqua Blue Green Red Violet	Blue Green	White Grey	Red Violet
Resistance to tear film containing proteins	++	++	++	++	++	+	++	++	++	+++	+	+++	++
Resistance to tear film containing lipids	++	++	++	++	++	+++	++	++	+	+	+++	+++	+
Breaking resistance	+++	++	+	+	+	+++	+++	++	+++	++	+++	+++	++
Parameter stability	++	+	+	+	+	+++	+++	++	++	++	+++	+++	++
Overnight wearing (Ortho-K)	-	-	+	+	+	-	-	-	-	+	-	-	-

* ISO 9913-1, Unit $\times 10^{-11}$ (cm²/sec) [mLO₂/(ml x mmHg)] ** Bubble cap method *** Manufacturer indications

TLM is our trial lens material and cannot be sold

... big window to the world.

appenzeller
kontaktlinsen®
passt.

i-NIGHT



Orthokeratology at the highest level
Wear overnight – see during the day:
Without spectacles, without contact lenses.

Personnelle-KK Excellent-KK



Keratoconus contact lenses
High grade of keratoconus,
high demand: fits like a mould.

i-MAP



For fitting with irregular cornea
Fits when nothing else will.

i-MATRIX



Scleral lenses
Corneal damage, keratoconus,
keratoplasty? Still fits.

proASSIST



Professional support with progressive myopia
Smart contact lenses instead of thick
spectacle lenses.



Rigid gas permeable
contact lenses

Excellent AS
Excellent MK

© Appenzeller Kontaktlinsen AG | Subject to change | 2022-08
All trademarks are the property of Appenzeller Kontaktlinsen.
® As a company we care for nature, and we have a
packaging license from "Green Point".



passt.

Appenzeller Kontaktlinsen AG
Hauptstrasse 22
CH-9042 Speicher AR
Telephone +41 71 344 20 00

Appenzeller Kontaktlinsen AG
Kemptener Strasse 8
D-88131 Lindau
Telephone 00800 9042 9042

Appenzeller Kontaktlinsen AG
Postfach 29
A-6973 Höchst
Telephone 00800 9042 9042

info@appenzeller-kontaktlinsen.ch www.appenzeller-kontaktlinsen.ch

10 Reasons Why to choose Appenzeller Kontaktlinsen

→ Fitting success

We do everything we can to understand your wishes and ideas. So that your fitting is a complete success – for you and your patients.

→ Technological advantage

We put a great deal of effort into Research & Development to ensure that our contact lenses always meet the latest technological possibilities.

→ Swiss made

We demand the highest standards of the manufacturing quality of our contact lenses, so that they match your equally high expectations of Swiss made.

→ Reproducibility

We help you keeping your patients satisfied by ensuring that you receive the same lens as before with your repeat order.

→ Open ears

Our Professional Services team advises you competently, personally and patiently. They will answer every question and make sure you get the right contact lens in any case.

→ Custom made

Each contact lens is individually made to order for you, so that it matches your specifications a 100%.

→ Right to exchange

We send out our contact lenses with or without the right to exchange, so you can make the best choice for your needs. The option "with right to exchange" gives you financial security: you can order a different lens later. If you do so within the exchange period, you pay only a small excess. The date on the delivery note is decisive for the deadline.

- Soft contact lenses:
 - *i*-SOFT 3-monthly lenses: 1 month
 - 6-monthly lenses: 2 months
 - 12-monthly lenses: 3 months
- Rigid gas-permeable lenses: 3 months

→ Price advantage

We offer you favourable terms of payment. You can get extra benefits if you pay in advance. We will happily let you know about the current conditions on request.

→ Guarantee scheme

We take responsibility for our work so you can rely on us and our contact lenses with guarantee. Guarantee period:

- *i*-SOFT 3-monthly lenses: 1 month
- 6-monthly lenses: 2 months
- 12-monthly lenses: 3 months

Broken lens: Return us the lens within the guarantee period and we will replace it. We will credit it on your next invoice accordingly. The date on the delivery note is decisive for the guarantee period.

→ Long-term vision

We strive for a lasting business relationship with you, so that you can also count on us in the long term.